## NON PATENT LITERATURE DOCUMENTS FOR RESPONSE TO **REQUEST FOR INFORMATION MAILED MAY 16, 2002** BINDER 3 OF 6 Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Cite item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue No.1 number(s), publisher, city and/or country where published. SEUBERT et al., "Isolation and quantification of soluble Alzheimer's β-peptide from biological fluids," 156 Nature, 359: 325-327 (1992). SHIOSAKA, S., "Attempts to make models for Alzheimer's disease," Neuroscience Res., 13:237-255 157 SMITS et al., "Prion Protein and Scrapie Susceptibility," Vet. Quart., 19(3): 101-105 (1997). 158 SOLOMON et al., "Disaggregation of Alzheimer β-amyloid by site-directed mAb," PNAS USA, 159 94:4109-4112 (1997). 160 SOLOMON et al., "Monoclonal antibodies inhibit in vitro fibrillar aggregation of the Alzheimer βamyloid peptide," PNAS USA, 93:452-455 (1996). SOLOMON, A., "Pro-Rx (Protein Therapeutics)," University of Tennessee Medical Center (publication 161 date unknown). 162 SOLOMON, B., "New Approach Towards Fast Induction of Anti β-Amyloid Peptide Immune Response." Department of Molecular Microbiology & Biotechnology, Tel-Aviv University, Ramat Aviv, Tel-Aviv, Israel (publication date unknown). STQUTE et al., "A Preliminary Evaluation of a Recombinant Circumsporozoite Protein Vaccine 163 Against Plasmodium Falciparum Malaria\*, N. Engl. J. Med., 336(2): 86-91 (1997). STURCHLER-PIERRAT et al., "Two amyloid precursor protein transgenic mouse models with 164 Alzheimer disease-like pathology," PNAS, 94: 13287-13292 (1997). 165 TANAKA et al., "NC-1900, an active fragment analog of arginine vasopressin, improves learning and memory deficits induced by beta-amyloid protein in rats," European J. Pharmacology, 352:135-142 (1998).166 TRIEB et al., "Is Alzheimer beta amyloid precursor protein (APP) an autoantigen? Peptides corresponding to parts of the APP sequence stimulate T lymphocytes in normals, but not in patients with Alzheimer's disease," Immunobiology, 191(2-3):114-115 Abstract C.37, (1994). VAN GOOL et al., "Concentrations of amyloid-β protein in cerebrospinal fluid increase with age in 167 patients free from neurodegenerative disease, Neuroscience Letters, 172:122-124 (1994). VERBEEK et al., "Accumulation of Intercellular Adhesion Molecule-1 in Senile Plaques in Brain 168 Tissue of patients with Alzheimer's Disease," Amer. Journ. Pathology, 144(1):104-116 (1994). WALKER et al., "Labeling of Cerebral Amyloid In Vivo with a Monoclonal Antibody," J. Neuropath. 169 Exp. Neurology, 53(4):377-383 (1994). WENGENACK et al., "Targeting Alzheimer amyloid plaques in vivo," Nature Biotech., 18:868-872 170 (2000).171 WEINER et al.. "ORAL TOLERANCE: Immunologic Mechanisms and Treatment of Animal and Human Organ-Specific Autoimmune Diseases by Oral Administration of Autoantigens, Annu. Rev. Immunol., 12:809-837 (1994). WEISSMANN et al., "Bovine spongiform encephalopathy and early onset variant Creutzfeldt-Jakob 172 disease," Curr. Opin. Neurobiol., 7: 695-700 (1997).


173	WOOD et al., "Amyloid precursor protein processing and A□42 deposition in a transgenic mouse model of Alzheimer disease," PNAS USA, 94: 1550-1555 (1997).
174	Human Immunology & Cancer Program brochure, from The University of Tennessee Medical Center/ Graduate School of Medicine, Knoxville, Tennessee (publication date unknown).
176	BARD et al., "Peripherally administered antibodies against amyloid $\beta$ -peptide enter the central nervous system and reduce pathology in a mouse model of Alzheimer disease," <u>Nature Medicine</u> , 6(8):916-919 (2000).
177	HELMUTH, L., "Further Progress on a β-Amyloid Vaccine," <u>Science</u> , 289:375 (2000).
178	SCHENK et al., "Therapeutic Approaches Related to Amyloid-β Peptide and Alzheimer's Disease," <u>J. Med. Chem</u> ., 38(21):4141-4154 (1995).
179	SOUTHWICK et al., "Assessment of Amyloid $\beta$ protein in Cerebrospinal fluid as an Aid in the Diagnosis of Alzheimer's Disease," J. Neurochemistry, 66:259-265 (1996).
180	WEN, G.Y., "Alzheimer's Disease and Risk Factors," J. Food Drug Analysis, 6(2):465-476 (1998).
182	HANAN and SOLOMON, "Inhibitory effect of monoclonal antibodies on Alzheimer's β-amyloid peptide aggregation," Int. J. Exp. Clin. Invest., 3:130-133 (1996).
183	KATZAV-GOZANSKY et al., "Effect of monoclonal antibodies in preventing carboxypeptidase A aggregation," <u>Biotechnol. Appl. Biochem.</u> , 23:227-230 (1996).
184	LI and SOLOMON, "Thermal Stabilization of Carboxypeptidase A as a Function of PH and Ionic Milieu," <u>Biochem. Mol. Biol. Int.</u> , 43(3):601-611 (1997).
185	SOLOMON and GOLDSTEIN, "Modulation of The Catalytic Pathway of Carboxypeptidase A by Conjugation with Polyvinyl Alcohols," Adv. Mol. Cell Biology, 15A:33-45 (1996).
186	SOLOMON et al., "Activity of monoclonal antibodies in prevention of in vitro aggregation of their antigens," abstract from Department of Molecular Microbiology and Biotechnology, Tel Aviv University, Tel Aviv, Israel (publication date unknown).
189	SAIDO et al., "Spatial Resolution of Fodrin Proteolysis in Postischemic Brain," <u>J. Biol. Chem</u> ., 268(33):25239-25243 (1993).
190	GRAVINA et al., "Amyloid $\beta$ Protein (A $\beta$ ) in Alzheimer's Disease," <u>J. Biol. Chem.</u> , 270(13):7013-7016 (1995).
191	MURPHY et al., "Development of a Monoclonal Antibody Specific for the COOH-Terminal of β-Amyloid 1-42 and Its Immunohistochemical Reactivity in Alzheimer's Disease and Related Disorders," Am. J. Pathology, 144(5):1082-1088 (1994).
192	IWATSUBO et al., "Visualization of A\$\beta 42(43) and A\$\beta 40 in Senile Plaques with End-Specific A\$\beta\$ Monoclonals: Evidence That an Initially Deposited Species Is A\$\beta 42(43)," Neuron, 13:45-53 (1994).
193	HARRINGTON et al., "Characterization of an epitope specific to the neuron-specific isoform of human enolase recognized by a monoclonal antibody raised against a synthetic peptide corresponding to the C-terminus of $\beta$ / A4-protein," <u>Biochimica Biophysica Acta</u> , 1158:120-128 (1993).
194	SAIDO et al., "Spatial Resolution of the Primary β-Amyloidogenic Process Induced in Postischemic Hippocampus," J. Biol. Chem., 269(21):15253-15257 (1994).
195	KONIG et al., "Development and Characterization of a Monoclonal Antibody 369.2B Specific for the Carboxyl-Terminus of the βA4 Peptide," <u>Annals of NY Acad. Sci.</u> , 777:344-355 (1996).
204	BERCOVICI et al., "Chronic Intravenous Injections of Antigen Induce and Maintain Tolerance in T Cell Receptor-Transgenic Mice," <u>Eur. J. Immunol</u> . 29:345-354 (1999).

206	MORI et al., "Mass Spectrometry of Purified Amyloid β Protein in Alzheimer's Diseas ," <u>J. Biol. Chem.</u> , 267(24):17082-17088 (1992).
209	RUDINGER, "Characteristics of the Amino Acids as Components of a Peptide Hormone Sequence," in <u>Peptide Hormones</u> , J.A. Parson, d. University Park Press, Baltimore, pp 1-7 (1976).
210	FRIEDLAND et al., "Development of an anti-A\$ monoclonal antibody for in vivo imaging of amyloid angiopathy in Alzheimer's disease," Mol. Neurology, 9:107-113 (1994).
212	BICKEL et al., "Site Protected, Cationized Monoclonal Antibody Against Beta Amyloid as a Potential Diagnostic Imaging Technique for Alzheimer's Diseases," Soc. for Neuroscience Abstracts 18:764 (1992).
213	CHEN et al. "An Antibody to \$\beta\$ Amyloid Precursor Protein Inhibits Cell-substratum Adhesion in Many Mammalian Cell Types," Neuroscience Letters 125:223-226 (1991).
214	DEMATTOS et al., "Peripheral Anti A& Antibody Alters CNS And Plasma A& Clearance and Decreases Brain A& Burden in a Mouse Model of Alzheimer's Disease," Proc. Natl. Acad. Sci. USA, 10.1073/pnas. 151261398 (2001).
215	GAMES et al., "Prevention and Reduction of AD-type Pathology in PDAPP Mice Immunized with Aβ <sub>1</sub> .  42," Annals of the New York Academy of Science 920:274-84 (2000).
216	JOACHIM et al., "Antibodies to Non-beta Regions of the Beta-amyloid Precursor Protein Detect a Subset of Senile Plaques," <u>Am. J. of Pathology</u> 138:373-384 (1991).
217	MASTERS et al., "Amyloid Plaque core protein in Alzheimer Disease and Down Syndrome," Proc. Natl. Acad. Sci. USA, 82:4245-4249 (1985).
218	MAJOCHA et al., "Development of a Monoclonal Antibody Specific for \$\beta/A4\$ Amyloid in Alzheimer's Disease Brain for Application to In Vitro Imaging of Amyloid Angiopathy," The J. of Nuclear Med. 33:2184-2189 (1992).
219	WONG et al., "Neuritic Plaques and Cerebrovascular Amyloid in Alzheimer Disease are Antigenically Related," PNAS USA, 82:8729-8732 (1985).
220	Dialog/Derwent, Abstract of WPI Acc No: 1997-054436/199706: Stable vaccine compsns. – comprise a macrocyclic lactone, a milbemycin, an avermectin, an antigen, a dispersing agent, an adjuvant, a water sol. organic solvent and saline or water, Derwent File 351: Derwent WPI database. (Publication date unknown.)



## NON PATENT LITERATURE DOCUMENTS FOR RESPONSE TO REQUEST FOR INFORMATION MAILED MAY 16, 2002 BINDER 4 OF 6

	BINDER 4 OF 6		
Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.		
222	Chemical Abstract database, Abstract of "Injection of Newborn Mice with Seven Chemical Adjuvants to Help Determine Their Safety in Use in Biologicals," Chemical Abstract database. (Publication date unknown.)		
223	Wisconsin Alumni Research Foundation, "Injection of Newborn Mice with Seven Chemical Adjuvants to Help Determine Their Safety in Use in Biologicals", U.S. Govt. Res. Develop. Rep., 70(24), 56. (Publication date unknown.)		
. 224	Center for Biologics Evaluation and Research, U.S. Food and Drug Administration, Thimerosal in Vaccines (Mercury in Plasma-Derived Products), web site contents found at: http://www.fda.gov/cber/vaccine/thimerosal.htm, last updated May 16, 2002.		
225	Elan, "Elan and AHP Provide an Update on the Phase 2A Clinical Trial of AN-1792," Press Release. (1/28/2002).		
226	Elan, "Elan and Wyeth Provide Update on Status of Alzheimer's Collaboration," Press Release (3/1/2002)		
228	BARROW, et al., "Solution Conformations and aggregational Properties of Synthetic Amyloid Beta-Peptides of Alzheimer's Disease. Analysis of Circular Dichroism Spectra" <u>J. Mol.Biol.</u> , 225(4): 1075-1093 (1992).		
229	HAZAMA, et al., "Intranasal Immunization Against Herpes Simplex Virus Infection by Using a Recombinant Glycoprotein D Fused With Immunomodulating Proteins, the B Subunit of Escherichia Coli Heat-Labile Enterotoxin and Interleukin-2", Immunology, Vol. 78: 643-649 (1993).		
232	PETERSON, et al., "Recombinant Antibodies: Alternative Strategies for Developing and Manipulating Murine-Derived Monoclonal Antibodies," <u>Laboratory Animal Science</u> , 46(1):8-14 (1996).		
233	MORRIS, et al., "The Consortium to Establish a registry for Alzheimer's Disease (CERAD)," Neurology, 39:1159-65 (1989).		
235	NEWCOMBE and COHEN, "Solubility characteristics of isolated amyloid fibrils," <u>Biochim. Biophys.</u> <u>Acta</u> , 104:480-486 (1965).		
236	HILBICH et al., :Human and rodent sequence analogs of Alzheimer's amyloid βA4 share similar properties and can be solubilized in buffers of pH 7.4," <u>Eur. J. Biochem</u> ., 201:61-69 (1991).		
237	GORTNER, Outlines of Biochemistry, pp. 322-323, John Wiley & Sons, Inc., New York (1949).		
238	MCNEAL et al., "Stimulation of local immunity and protection in mice by intramuscular immunization with triple- or double-layered rotavirus particles and QS-21," <u>Virology</u> , 243:158-166 (1998).		
239	BEASLEY, "Alzheimer's traced to proteins caused by aging," Reuters, April 20, 2001 7:56 PM ET.		
241	HAASS et al. "Amyloid beta-peptide is produced by cultured cells during normal metabolism," Nature, 359(6393):322-5 (1992).		
244	FRENKEL, et al., "Modulation of Alzheimer's β-amyloid neurotoxicity by site-directed single chain antibody," J. of Neuroimmunology, 106:23-31 (2000).		
245	FRENKEL et al., "High affinity binding of monoclonal antibodies to the sequential epitope EFRH of β-amyloid peptide is essential for modulation of fibrillar aggregation," J. of Neuroimmunology, 95:136-142 (1999).		





266	CHAPMAN, PAUL F., "Model behavior," <u>Nature</u> , 408:915-916 (2000).
268	NAKAMURA, et al., "Carboxyl nd-specific monoclonal antibodies to amyloid $\beta$ protein ( $A\beta$ ) subtypes ( $A\beta$ 40 and $A\beta$ 42(43) differentiate Ab in senile plaques and amyloid angiopathy in brains of aged cynomolgus monkeys," Neuroscience Letters, 201:151-154 (1995).
269	PHILIPPE, et al. "Generation of a monoclonal antibody to the carboxy-terminal domain of tau by immunization with the amino-terminal domain of the amyloid precursor protein," <u>J. of Neuroscience Res.</u> , 46:709-719 (1996).
270	SCHENK, et al., "\$-peptide immunization," Arch. Nuerol., 57:934-936 (2000).
271.	ST. GEORGE-HYSLOP, PETER H. and DAVID A. WESTAWAY, :Antibody clears senile plaques,* Nature, 40:116-117 (1999).
272	SZENDREI, et al., "The effects of aspartic acid-bond isomerization on in vitro properties of the amyloid β-peptide as modeled with N-terminal decapeptide fragments," Int. J. Peptide Protein Res., 47:289-296 (1996).
273	THORSETT, E.D. and L.H. LATIMER, "Therapeutic approaches to Alzheimer's disease," <u>Curr. Op. in Chem. Biology</u> , 4:377-382 (2000).
274	WEINER et al., "Nasal administration of amyloid-\$\textit{\beta}\$ peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease," <a href="mailto:Annals of Neurology">Annals of Neurology</a> , 48:567-579 (2000).



## NON PATENT LITERATURE DOCUMENTS FOR RESPONSE TO REQUEST FOR INFORMATION MAILED MAY 16, 2002

REQUEST FOR INFORMATION MAILED MAY 16, 2002		
BINDER 5 OF 6		
Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	
275	WU, et al., "Drug targeting of a peptide radiopharmaceutical through the primate blood-brain barrier in vivo with a monoclonal antibody to the human insulin receptor," <u>J. Clin. Invest.</u> , 100:1804-1812 (1997).	
276	TJERNBERG et al., "Arrest of $\beta$ -amyloid fibril formation by a pentapeptide ligand," <u>Journal of Biological Chemistry</u> , 271:8545-8548 (1996).	
277	SASAKI et al., "Human choroid plexus is an uniquely involved area of the brain in amyloidosis: a histochemical, immunohistochemical and ultrastructural study," <u>Brain Res.</u> , 755:193-201 (1997).	
278	SAITOH, N. and K. IMAI, "Immunological analysis of Alzheimer's disease using anti- β-protein monoclonal antibodies," <u>Sapporo Med. J.</u> , 60:309-320 (1991).	
279	SAITO et al., "Vector-mediated delivery of $^{125}$ l-labeled $\beta$ -amyloid peptide Ab $^{1-40}$ through the bloodbrain barrier and binding to Alzheimer disease amyloid of the A $\beta^{1-40}$ vector complex," <u>PNAS USA</u> , 92:10227-10231 (1995).	
280	PARDRIDGE et al., "Chimeric peptides as a vehicle for peptide pharmaceutical delivery through the blood-brain barrier," <u>Biochem. Biophys. Res. Comm.</u> , 146:307-313 (1987).	
281	NAKAYAMA et al., "Histopathological studies of senile plaques and cerebral amyloidosis in cynomolgus monkeys," <u>J. of Med. Primatology</u> , 27:244-252 (1998).	
285	CAPUTO et al., "Therapeutic approaches targeted at the amyloid proteins in Alzheimer's disease," Clin. Neuropharm., 15:414A-414B (1992).	
286	CORDELL, B., "β-Amyloid formation as a potential therapeutic target for Alzheimer's disease," <u>Ann.</u> <u>Rev. Pharmacol. Toxicol.</u> , 34:69-89 (1994).	
287	COSTA et al., "Immunoassay for transthyretin variants associated with amyloid neuropathy," <u>Scand.</u> <u>J. Immunol.</u> , 38:177-182 (1993).	
288	DUMERY et al., "β-Amyloid protein aggregation: its implication in the physiopathology of Alzheimer's disease," Pathol. Biol., 49:72-85 (2001).	
289	ESIRI, "Is an effective immune intervention for Alzheimer's disease in prospect?," <u>Trends in Pharm. Sci.</u> , 22:2-3 (2001).	
290	YOUNKIN, "Amyloid $\beta$ vaccination: reduced plaques and improved cognition," Nature Medicine, 7:18-19 (2001).	
291	COLOMA et al., "Transport Across the Primate Blood-Brain Barrier of a Genetically Engineered Chimeric Monoclonal Antibody to the Human Insulin Receptor," <a href="Pharm.Res">Pharm. Res</a> ., 17:266-274 (2000).	
292	YAMAGUCHI et al., Diffuse plaques associated with astroglial amyloid $\beta$ protein, possibly showing a disappearing stage of senile plaques," <u>Acta Neuropathol</u> ., 95:217-222 (1998).	
293	DALY, et al., "Detection of the membrane-retained carboxy-terminal tail containing polypeptides of the amyloid precursor protein in tissue from Alzheimer's Disease brain," <u>Life Sci.</u> , 63:2121-2131 (1998).	
302	CHUNG et al. "Uptake, Degradation, and Release of Fibrillar and Soluble Forms of Alzheimer's Amyloid β-Peptide by Microglial Cells," J. Biol. Chem., 274(45):32301-32308 (1999).	



NZALES-FERNANDEZ et al., "Low antigen dose favors selection of somatic mutants with Imarks of antibody affinity maturation," Immunology, 93:149-153 (1998).
SO, V.A., Grant application # 1 R43 AGI 5746-01 (non-redacted version), "Immunotherapy of heimer's Disease" (publication date unknown).
EN, et al. A learning deficit related to age and beta-amyloid plaques in a mouse model of heimer's disease. Nature. 408(6815):975-9 (2000).
NUS, et al. A beta peptide immunization reduces behavioural impairment and plaques in a model Alzheimer's disease. Nature. 408(6815):979-82 (2000).
TTSON, MP. Cellular actions of beta-amyloid precursor protein and its soluble and fibrillogenic ivatives. Physiol Rev. 77(4):1081-132 (1997).
RLUZZI, et al. Humanized antibodies as potential drugs for therapeutic use. Adv Clin Path. ):77-85 (2000).
PRGAN, et al. A beta peptide vaccination prevents memory loss in an animal model of Alzheimer's ease. Nature. 408(6815):982-5 (2000).
HENK, et al. Immunotherapy with beta-amyloid for Alzheimer's disease: a new frontier. DNA Cell I. 20(11):679-81 (2001).
LKOE, DJ. The cell biology of beta-amyloid precursor protein and presenilin in Alzheimer's ease. Trends Cell Biol. 8(11):447-53 (1998).
SURDSSON, et al. In vivo reversal of amyloid-beta lesions in rat brain. J Neuropathol Exp Neurol. 1):11-17 (2000).
IHA, et al. Recent advances in the understanding of the processing of APP to beta amyloid otide. Ann N Y Acad Sci. 920:206-8 (2000).
TO, et al. Beta sheet breaker peptides inhibit fibrillogenesis in a rat brain model of amyloidosis: slications for Alzheimer's therapy. Nat Med. 4(7):822-6 (1998).
HMAS, et al. beta-Amyloid peptide vaccination results in marked changes in serum and brain eta levels in APPswe/PS1 DeltaE9 mice, as detected by SELDI-TOF-based ProteinChip® hnology. DNA Cell Biol. (11):713 21 (2001).
, et al. Reduced levels of amyloid beta-peptide antibody in Alzheimer disease. Neurology. 5):801-5 (2001).
ALL, et al. Alzheimer's disease and Abeta toxicity: from top to bottom. Nat Rev Neurosci. ):595-8 (2001).
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -